

# MATERIAL SAFETY DATA SHEET

24-HOUR EMERGENCY PHONE NUMBER: INFOTRAC 1-800-535-5053

I.PRODUCT NAME: Extreme PVC Trim Fill & Flex

#### II. COMPOSITION/INFORMATION ON INGREDIENTS

 CHEMICAL NAME
 CAS #
 EINECS

 Silane, ethenyltrimethoxy 2768-02-7
 220-449-8

 Amino Silane
 1760-24-3
 217-164-6

#### III. HAZARDOUS INFORMATION

**Emergency Overview** 

Physical Appearance: Paste

Immediate Concerns: May cause mild eye and skin irritation.

**Potential Health Effects** 

**Eyes:** May cause mild eye irritation. **Skin:** May cause mild skin irritation.

Ingestion: May cause nausea. Large quantities may include narcosis.

Signs and Symptoms of Overexposure

**Skin:** May cause allergic skin rash to sensitized individuals.

**Ingestion:** Possible nausea and/or vomiting.

Chronic Effects: No chronic health effects known.

Routes of Entry: Inhalation, skin and ingestion.

## IV. FIRST AID MEASURES

Eyes: Immediately flush eyes with water for at least 15 minutes. Get immediate medical attention.

**Skin:** Remove from skin and wash thoroughly with soap and water or waterless cleanser. Get medical attention if irritation or other ill effects develop or persist.

**Inhalation:** Move individual to fresh air. If breathing is difficult, administer oxygen. Seek medical attention.

**Ingestion:** Do not induce vomiting. Seek medical attention.

# V. FIRE FIGHTING MEASURES

Flashpoint and Method: (170°F) Pensky-Martens CC

Extinguishing Media: Dry chemical, foam, carbon dioxide (CO2), sand.

# VI. ACCIDENTAL RELEASE MEASURES

**Small Spill:** Wearing the personal protective equipment designated in Section 8, transfer material to appropriate container for disposal.

**Large Spill:** Wearing the personal protective equipment designated in Section 8, carefully contain the spill and transfer to the appropriate container for disposal. Do not discharge to lakes, streams, ponds, or sewers. Dispose of in compliance with local, state and federal regulations. Ventilate well while cleanup is in process and until fumes dissipate.

# VII. STORAGE AND HANDLING

**Storage Temperature:** Store in a cool, dry location, away from sources of heat, ignition, or direct sunlight. Keep container closed to prevent deterioration of the quality of the product. Avoid moisture and water since this product is a moisture-curing material.

# VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **Personal Protective Equipment**

Eyes and Face: Wear safety glasses with side shields or goggles when handling this material.

Skin: Chemical resistant protective gloves are recommended.

**Respiratory:** Not required with adequate ventilation.

**Work Hygienic Practices:** Wash hands thoroughly after each use, especially before eating or smoking. Good personal hygiene practices should always be followed.

## IX. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Paste

Odor: None

Appearance: Viscous liquid

Flashpoint and Method: (170°F) Pensky-Martens CC

**Evaporation Rate:** 0 (n-Butyl Acetate=1)

Density: 8.85

Specific Gravity: 1.060 (water=1)

(VOC): < 30.000 g/l

Notes: VOC contents is less than 2% by weight

## X. STABILITY AND REACTIVITY

Stable: Yes

Hazardous Polymerization: No

Conditions to avoid: High humidity at temperatures above 80°F

# XI: TOXICOLOGICAL INFORMATION

**Eye Effects:** Irritating to the eyes.

Skin Effects: Irritating to the skin.

#### XII. ECOLOGICAL INFORMATION

**Environmental Data:** No environmental studies have been carried out on this product.

#### XIII: DISPOSAL CONSIDERATIONS

**Disposal Method:** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Part 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

# XIV: TRANSPORT INFORMATION

Department of Transportation Requirements DOT: Not regulated as dangerous goods IATA: Not regulated as dangerous goods IMDG: Not regulated as dangerous goods

### XV: REGULATORY INFORMATION

#### **United States**

SARA Title III (Superfund Amendments and Reauthorization Act)

**311/312 Hazard Catagories:** This product poses the following physical and health hazard(s) as defined in 40 CFR Part 370 and is subject to the requirements of Sections 311 and 312 of Title III of the Superfund Amendments and Reauthorization Act of 1986:

Fire: No Pressure Generating: No Reactivity: No Acute: Yes Chronic: No 313 Reportable Ingredients: This product does not contain toxic chemicals subject to the requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

California Proposition 65: This product does not contain and chemicals on California's Proposition 65 List

#### XVI: OTHER INFORMATION

NFPA STORAGE CLASSIFICATION:

Health: 1 Flammability: 1 Physical Hazard: 0

**HMIS RATING NOTES:** 

Health: 1

Flammability: 1 Physical Hazard: 0

PPE B

NOTICE TO PURCHASER—LIMITATION OF LIABILITY. EXTREME Adhesives, Inc. disclaims liability for any dangers and bodily injury resulting from failure to heed warnings on the label and disclaims liability in any case, for any consequential damages. Since the use of this material is beyond the control of EXTREME Adhesives, Inc., EXTREME Adhesives, Inc. shall not be responsible for damages resulting from the use of this product. Manufacturer's warranty is limited to replacement of products or refund of purchase price on goods proven defective.

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of the product are beyond Extreme Adhesives, Inc. Control: it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, damage or expense arising our of the product's improper use. No warranty, expressed or implied regarding the product described herein shall be created by or inferred from any statement or omissions in this MSDS. Various government agencies (e<g> DOT,EPA,FDA) may have specific regulations concerning the transportation, handling, storage use or disposal of the product, which may not be reflected in this MSDS. The user should review those regulations to ensure full compliance.

Issue date: 09/01/2011