



MATERIAL SAFETY DATA SHEET

**24-HOUR EMERGENCY
PHONE NUMBER:
INFOTRAC 1-800-535-5053**

I. PRODUCT NAME: Extreme Nail Erasers

II. HAZARDOUS INFORMATION

Hazardous Components	CAS Reg #	PEL ppm	TWA ppm	STEL ppm	% (opt)
----------------------	-----------	------------	------------	-------------	------------

Non-hazardous blend of microcrystalline and Fischer Tropsch waxes

Hazardous – No

Health 0
Flammability 0
Reactivity 0
Personal Protection 0

III. PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling Point: Not determined
Vapor Pressure (mm Hg): Not determined
Vapor Density (air = 1): Not determined
pH: Not Determined
Appearance: Hard Stick
Specific Gravity (Water = 1): .85
Melting Point: 135°F
Evaporation Rate: NA
Solubility in Water: No
Solids Content: 99%

IV. FIRE & EXPLOSION DATA

Flash Point: Over 400°F
Extinguishing Media: Dry Chemical
Fire & Explosion Hazards: None

Flammable Limits:
LEL – NA
UEL – NA

V. REACTIVITY DATA

Stability: Stable

Incompatibility: Strong Acids

Condition to Avoid: NA

Hazardous Decomposition/Polymerization: NA

VI. HEALTH & HAZARD DATA

Routes of Entry:

Inhalation: No

Skin: No

Ingestion: No

Health Hazards: No Chronic hazards known

Carcinogenicity: NA

Emergency & First Aid Procedures: Wash with soap and water. If ingested, induce vomiting.

VII. PRECAUTIONS FOR SAFE HANDLING & USE

Steps to be taken in case material is Released or Spilled: If molten, allow to solidify.

Waste Disposal: Ordinary combustible.

VIII. EXPOSURE CONTROL / PERSONAL PROTECTION

Respiratory Protection: NA

Ventilation: NA

XIV. TRANSPORTATION INFORMATION

OSHA: Not regulated

DOT: Not regulated

UN: Not regulated

NOTICE TO PURCHASER—LIMITATION OF LIABILITY. EXTREME Adhesives, Inc. disclaims liability for any dangers and bodily injury resulting from failure to heed warnings on the label and disclaims liability in any case, for any consequential damages. Since the use of this material is beyond the control of EXTREME Adhesives, Inc., EXTREME Adhesives, Inc. shall not be responsible for damages resulting from the use of this product. Manufacturer's warranty is limited to replacement of products or refund of purchase price on goods proven defective.

The information in this MSDS was obtained from current and reliable sources. However, the data is provided without warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of the product are beyond Extreme Adhesives, Inc. Control: it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, damage or expense arising out of the product's improper use. No warranty, expressed or implied regarding the product described herein shall be created by or inferred from any statement or omissions in this MSDS. Various government agencies (e.g. DOT, EPA, FDA) may have specific regulations concerning the transportation, handling, storage use or disposal of the product, which may not be reflected in this MSDS. The user should review those regulations to ensure full compliance.

ISSUE DATE: 04/01/2011

EXTREME ADHESIVES, INC. • 63 EPPING ROAD • PO BOX 1445 • RAYMOND, NH 03077
TEL: 603-895-4028 • TOLL FREE: 800-888-GLUE • FAX: 603-895-6236 • WWW.EXTREMEADHESIVES.COM

© 04/2011

